

Base Series

ecosmar⁺
Fire


Base multi-function tables give you ambiance and sleek stylised lines that would look the part in any space. Relish in the warmth of a fire that creates an ambience without the smoke, soot, or mess associated with wood.



Base Series

ecosmar⁺
Fire

Design Features



1. Fluid™ Concrete Finish

Incredibly strong yet relatively lightweight, EcoSmart's concrete products incorporate revolutionary Fluid Concrete Technology. Fluid features a stain and impact-resistant barrier that protects the concrete from environmental weathering – even under extreme conditions and long UV exposure.

Premium Teak Wood Finish*

The most premium wood on the planet, teak is the strongest, most durable hardwood available. It contains a natural oil which repels water, keeping it from warping, cracking, or becoming brittle. Teak is the perfect material for outdoor furniture.

*Teak is available for Base 40. Availability for Base 30 may vary by market.

2. Decorative Media

Models come with black glass charcoal to add the finishing touch. They do not emit any toxic fumes, smoke, or ash.

Surround Colours/Finish

Available in three Fluid™ concrete colours: Natural, Graphite and Bone. Or Natural Teak hardwood*.

Choose the Perfect Size

Available in two sizes: The Base 30** is ideal for smaller, more intimate spaces, while the Base 40 is perfect for areas with more space.

**Base 30 subject to market availability.

3. Burner Colours

Available with a Stainless Steel or Black Burner.

Environmentally-Friendly

Bioethanol fireplaces use an environmentally-friendly, renewable energy source that burns clean and delivers warming heat. You and your guests will enjoy the ambiance and tranquillity of a real fire, without the hassles of burning real wood - no more embers, ash, and soot to clean up.

Quick & Easy Installation

With no installation or building works required, simply unpack, put into position, and off you go.

4. Articulating Feet

Our Fire Pits and Tables feature 360° height-adjustable articulating feet, so you can achieve a perfectly level and stable model before operating the fireplace.

Ground Fixing Brackets

Models come with fixing brackets for permanently locating into a fixed position.

Global Compliance

Bioethanol burners are O-TL listed to UL 1370 and ACCC Safety Mandate compliant, and were tested by BSI to EN 16647:2015. To comply with EN 16647, the Indoor Safety Tray and, on AB8 models, the included Efficiency Ring must be installed before operating indoors.

Model shown ES.FT.BAS.40 Model not available in all countries.

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

Base Series

ecosmar⁺
Fire

Accessories

Included



Decorative Glass Media

Our decorative Black Glass Charcoal is made from high-quality tempered glass.




Jerry Can with Safety Spout and e-NRG* bottle adaptor

Jerry Can allows safe storing/decanting of e-NRG ethanol. The e-NRG adaptor connects the Safety Spout to an e-NRG fuel bottle.



Lighting Rod & Lighter

The Lighting Rod is designed to safely adjust the slider position on the burner. It is also used for the ignition procedure.



AB8 Efficiency Ring

Placed over the internal burner vent, it serves to increase the efficiency of the burner as well as further stabilise the flame.

Optional



Glass Fire Screen (S22)

Screens help to minimise the impact of wind on the flame and reduce fuel consumption.



All-Season Cover (ST30/ST40)

Protect your investment with our water-resistant custom outdoor cover, featuring PVC cones to prevent water pooling and fit models with a Glass Fire Screen.



AB8 Silicone Burner Cover

Placed over the burner, the black silicone burner cover protects the burner from the elements when not in use.



Glass Cover Plate (S22)

Enables fire pit tables to easily be transformed into a usable coffee table surface.


*e-NRG not available in all countries.

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

Base 40



Specifications



ESF.FT.BAS.40

Product Dimensions

L 1,000 mm [39.4 in]
W 1,000 mm [39.4 in]
H 339 mm [13.3 in]

Weight (approx)

Concrete 72.9 kg [160.5 lb]
Teak 48.9 kg [107.7 lb]
Weight includes burner and media.

Product Materials

Fluid™ Concrete or Teak Wood Surround; Grade 304 Stainless Steel (Optional Black Ceramic Coating) Burner.

Surround Colours

Painted Fluid Concrete:
Natural, Graphite or Bone



Teak:
Natural Finish



Burner Colours

Available in:
Stainless Steel or Black



Burner Ventilation and Efficiency*

Fuel Type	Compatible Burner	Fuel Capacity	Heats on Average (Indoors)	Thermal Output Net (MAX per burner)	Approx. Burn Time	Minimum Room Size	Application ¹
e-NRG Bioethanol	AB8	8 L [2.1 Gal]	Over 60 m ² [645 ft ²]	21.56 MJ/h, 20,433 BTU/h, 5.99 kW	7 - 9 hours	116 m ³ [4,096 ft ³]	Indoor & Outdoor
e-NRG.com	With Efficiency Ring**		Over 30 m ² [322.9 ft ²]	13.9 MJ/h, 12,860 BTU/h, 3.77 kW	9 - 11 hours		


*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG. ¹For indoor use, additional parts are required. Your chosen application is the ONLY application the model can be used in due to modified configuration of the model. Please advise your Sales Representative at time of purchase so that the product can be configured accordingly. Bioethanol burners are O-TL listed to UL 1370 and ACCC Safety Mandate compliant, and were tested by BSI to EN 16647:2015. **To comply with EN 16647, the Indoor Safety Tray and, on AB8 models, the included Efficiency Ring must be installed before operating indoors. Line drawings show concrete models with the optional Recessed Glass Fire Screen and AB8 Burner.

For more information please reference the Clearance & Installation Manual

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

Base 30

Specifications



ESF.FT.BAS.30

Product Dimensions

L 776 mm [30.6 in]
W 776 mm [30.6 in]
H 339 mm [13.3 in]

Weight (approx)

Concrete 50.6 kg [111.4 lb]
Teak 35.9 kg [79.1 lb]
Weight includes burner and media.

Product Materials

Fluid™ Concrete or Teak Wood Surround; Grade 304 Stainless Steel (Optional Black Ceramic Coating) Burner.
*Teak availability may vary by market.

Surround Colours

Painted Fluid Concrete:
Natural, Graphite or Bone



Teak:
Natural Finish



Burner Colours

Available in:
Stainless Steel or Black



Burner Ventilation and Efficiency*

Fuel Type	Compatible Burner	Fuel Capacity	Heats on Average (Indoors)	Thermal Output Net (MAX per burner)	Approx. Burn Time	Minimum Room Size	Application ¹
e-NRG Bioethanol e-NRG.com	AB8	8 L [2.1 Gal]	Over 60 m ² [645 ft ²]	21.56 MJ/h, 20,433 BTU/h, 5.99 kW	7 - 9 hours	116 m ³ [4,096 ft ³]	Indoor & Outdoor
	With Efficiency Ring**		Over 30 m ² [322.9 ft ²]	13.9 MJ/h, 12,860 BTU/h, 3.77 kW	9 - 11 hours		

*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG. ¹For indoor use, additional parts are required. Your chosen application is the ONLY application the model can be used in due to modified configuration of the model. Please advise your Sales Representative at time of purchase so that the product can be configured accordingly. Bioethanol burners are O-TL listed to UL 1370 and ACCC Safety Mandate compliant, and were tested by BSI to EN 16647:2015. **To comply with EN 16647, the Indoor Safety Tray and, on AB8 models, the included Efficiency Ring must be installed before operating indoors. Line drawings show concrete models with the optional Recessed Glass Fire Screen and AB8 Burner.

For more information please reference the Clearance & Installation Manual

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.